

(e) Total expenditure incurred during 1958-59:

	Rs. nP.
1. Cultivation charges for 33 Ac. 19 Gts.	6,552.44
2. Building Rent ...	1,200.00
3. Lease paid for land ..	6,190.62
4. Other charges ...	353.90
5. Establishment charges including D.A. and T.A.	5,829.29
Total Rs. ...	20,126.25
Minus total receipts...	19,986.72
Loss ...	4,139.53

Sri Y. VEERAPPA.—May I know the source of water to this land?

†Sri N. RACHIAH.—This is actually perennial water, Sir. The lands are situated just below the North Bank Channel of Sri Rama Devara Katte.

Sri Y. VEERAPPA.—What is the yield per acre?

Sri N. RACHIAH.—It is between 15 to 20 pallas per acre.

Expenditure incurred in the execution of works in Kolar P.W.D. Division.

*Q.—76. Sri E. NARAYANA GOWDA (Bangarpet).—

Will the Government be pleased to state:—

(a) whether it is a fact that the Executive Engineer, P.W.D., Kolar Division, has issued orders strictly prohibiting the public from visiting his office;

(b) the amount provided annually for the Kolar Division of P.W.D. under the heads, 'Minor Irrigation C. Repairs, Restoration and Annual Repairs' during the current year;

(c) the amount of expenditure incurred under the above heads from 1st March 1959 to 30th June 1959;

(d) how much amount provided under different heads for the above division lapsed in the year 1958-59?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a) No.

(b) I. Grants for 1959-60 under the several heads of Minor Irrigation for Kolar Division are noted below:—

	Rs.
(i) 18 O.R.E. (A) Irrigation Works C. Repairs, etc.	3,62,500
(ii) 68 (A) I.N.E.D.—Non-commercial ...	4,37,400

II. Grants under 50 Civil Works.—

Buildings Annual Repairs. 50,000

(c) Expenditure from 1st March 1959 to 30th June 1959.

18 O.R.E.	
68 (A) I.N.E.D.—Non-commercial	1,32,568
50 Civil Works—Buildings Annual Repairs.	25,719

(d) 18 O.R.E. 7,057
68 (A) I.N.E.D. ... 1,15,585
50 Civil Works—Buildings Annual Repairs. 36,460

ಶ್ರೀ ಇ. ನಾರಾಯಣಗೌಡ.—ಈ ಬಗ್ಗೆ ಸಾರ್ವಜನಿಕರಿಂದ ದೂರು ಏನಾದರೂ ಸರ್ಕಾರದವರಿಗೆ ಬಂದಿದೆಯೇ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಒಂದು ದೂರು ಬಂದಿತ್ತು.

ಶ್ರೀ ಇ. ನಾರಾಯಣಗೌಡ.—ಅದರ ವಿಚಾರವಾಗಿ ಏನು ಕಾರ್ಯಕ್ರಮ ತೆಗೆದುಕೊಂಡಿದ್ದೀರಿ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಅ ವಿಚಾರವಾಗಿ ವಿಚಾರಣೆ ನಡೆಸಿದ್ದೇವೆ.

ಶ್ರೀ ಇ. ನಾರಾಯಣಗೌಡ.—ಅದರ ಫಲಿತಾಂಶ ಏನು?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಫಲಿತಾಂಶ ಏನು ಅನ್ನುವುದು ಯಾವ instanceನಲ್ಲಿ ಎಂದು ಹೇಳಿದರೆ ಅದರ ಬಗ್ಗೆ ಹೇಳುತ್ತೇನೆ.

ಶ್ರೀ ಇ. ನಾರಾಯಣಗೌಡ.—ಒಂದು ದೂರು ಬಂದಿತ್ತು ಎಂದು ಹೇಳಿದರಲ್ಲ, ಅದರ ವಿಚಾರದಲ್ಲಿ.

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಅದನ್ನು ಪರಿಶೀಲನೆ ಮಾಡಿದೆವು. ಅಷ್ಟೇನು ಮಹತ್ವದ ದೂರು ಎಂದು ಕಂಡುಬರಲಿಲ್ಲ. ಅದರ ಮೇಲೆ ನೂಕುವಾದ ಸಲಹೆ ಕೊಟ್ಟಿದ್ದೇವೆ.

Sri J. B. MALLARADHYA.—What is the method that this distinguished Executive Engineer adopted to prevent the public from having access to the Government offices?

Sri H. M. CHANNABASAPPA.—That is not the correct way of putting the matter.

Sri J. B. MALLARADHYA.—Just now the Hon'ble Minister admitted that some public had complained and that enquiries were made; how can he deny?

Sri H. M. CHANNABASAPPA.—Sir, the Hon'ble Member has not correctly understood me. Complaints came to us and enquiry was made. We have advised the public and the Executive Engineer about the manner in which things should be moved. As such, there is no *prima facie* case against him.

Sri J. B. MALLARADHYA.—What is it that he has to advise the public? Were they advised by pamphlets or by any government notification or through mikes?

Sri H. M. CHANNABASAPPA.—Such of the persons who made complaints were asked to interview the Executive Engineer only on business.

Sri J. B. MALLARADHYA.—Has it come to the notice of the Government that the persons who went there went without any business?

Sri H. M. CHANNABASAPPA.—Sometimes it happens.

Sri J. B. MALLARADHYA.—When these people went to see the Executive Engineer, did anything happen to show that they went there without any business?

Sri H. M. CHANNABASAPPA.—The complaint is not so much in regard to the interview but it is against the action taken by him to prevent contractors getting into the offices and disturbing them from doing the normal business.

ಶ್ರೀ ಜಿ. ನಾರಾಯಣಗೌಡ.—ಕಳೆದ ವರ್ಷ ಒಂದು ಲಕ್ಷದ 15 ಸಾವಿರ ರೂಪಾಯಿಗಳನ್ನು ಎಕ್ಸಿಕ್ಯೂಟಿವ್ ಇಂಜಿನಿಯರು ಲ್ಯಾಂಪ್ ಮಾಡಿದ್ದಾರೆ. ಆದರೂ ಮೇಲೆ ಏನು ಕಾರ್ಯಕ್ರಮ ತೆಗೆದುಕೊಂಡಿದ್ದೀರಿ?

ಶ್ರೀ ಎಚ್. ಎಂ. ಚನ್ನಬಸಪ್ಪ.—ಲ್ಯಾಂಪ್ ಮಾಡಿದ್ದಕ್ಕೆ ಯಾರು ಯಾವ ಕಾರಣ ಎಂಬುದನ್ನು ಪತ್ತೆ ಹಚ್ಚಿದ್ದೇವೆ. ಆದರಲ್ಲಿ ಕೆಲವು top limits ಇವೆ. ಆದರೂ ಮೇಲೆ ಸೂಕ್ತ ಕಾರ್ಯಕ್ರಮ ತೆಗೆದುಕೊಂಡಿದ್ದೇವೆ.

ಶ್ರೀ ಜಿ. ನಾರಾಯಣಗೌಡ.—ಈ ವರ್ಷ ಒಂದಿಗೆ ಸಿದ್ಧರಲ್ಲಿ ಶೇಕಡ 40 ಪೂರ್ಣವಾದ ಖರ್ಚುಮಾಡಿದ್ದು. ಉಳಿದ ಹಣವನ್ನು ಯಾವ ರೀತಿ ಖರ್ಚು ಮಾಡುತ್ತೀರಿ ಎಂಬುದನ್ನು ಹೇಳುತ್ತೀರಾ?

Sri H. M. CHANNABASAPPA.—Well Sir, it is rather very surprising that the Hon'ble Member should make a

remark of this kind. As a matter of fact, there has been 49 per cent of progress. Rs. 1,75,000 out of 3.62 lakhs have been spent within these four months i.e., April, May, June and July. This is the early part of the year and we still have eight more months. The next item works up to 39 per cent within four months; the next item works out to 51 per cent within these four months. On the whole, an average of 44 per cent has been spent within the period of four months. Probably, the Division has over-spent. They will spend all the grants that have been sanctioned within the next three or four months.

Hardships caused due to supply of Power for Pumpsets during Night.

*Q.—78. **Sri E. NARAYANA GOWDA** (Bangarpet).—

Will the Government be pleased to state:—

(a) how long the existing system of supplying power at night to pumpsets installed for irrigation works will be continued;

(b) whether they are aware of the hardships being experienced by ryots on account of non-availability of time switches in the market which are to be fixed by them as per rules;

(c) if so, the steps proposed to be taken by them in this regard;

(d) whether they intend to supply power during day time to irrigation works in the Kolar Gold Fields where 25 cycles electric power is supplied now?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(a) At least till the first stage of the Sharavathi Valley Project is completed.

(b) Yes.

(c) The Mysore State Electricity Board has secured necessary import licence to purchase these switches and propose to import them as early as possible.

(d) No.